

Data Sheet

FluoTag-X2 anti-Mouse Immunoglobulin kappa light chain Fluorophore-conjugated

| Fluorophore | Catalog No. (500 µl) | Catalog No. (2000µl) |
|--------------------|----------------------|----------------------|
| Abberior-Star 580 | N1202-Ab580-S | N1202-Ab580-L |
| Abberior-Star RED | N1202-AbRED-S | N1202-AbRED-L |
| Abberior-Star 635P | N1202-Ab635P-S | N1202-Ab635P-L |
| AlexaFluor 647 | N1202-AF647-S | N1202-AF647-L |
| Atto488 | N1202-At488-S | N1202-At488-L |
| Atto542 | N1202-At542-S | N1202-At542-L |
| Atto565 | N1202-At565-S | N1202-At565-L |
| Atto647N | N1202-At647N-S | N1202-At647N-L |
| Sulfo-Cyanine 3 | N1202-SC3-S | N1202-SC3-L |
| Sulfo-Cyanine 5 | N1202-SC5-S | N1202-SC5-L |
| Licor 680RD | N1202-Li680-S | N1202-Li680-L |
| Licor 800CW | N1202-Li800-S | N1202-Li800-L |

Identity Camelid sdAb anti-Mouse Immunoglobulin kappa light chain, Clone 1A23

Content 5 µM fluorescently labeled sdAb in buffered saline, 50% glycerol, 0.09% sodium azide.

Storage Up to 3 months: -20 °C
Up to 12 months: -80 °C or below
Protect from light!

Applications IF/WB/IHC/FACS Recommended dilution 1:500

Specificity Specifically recognizes Mouse Immunoglobulin kappa light chains
Does not cross-react with antibodies from species like: Rat, Guinea Pig, Rabbit, Chicken or Goat.

For more information please visit our web page at www.nano-tag.com

To be used *in vitro* / for research only.
Non-toxic, non-hazardous, non-infectious.